

concept
wiesner hager

nooi



reddot award 2015
honourable mention



The *nooi* chair family comes from the neunzig° design studio. Born from the idea of creating a chair with one shell form and different frame options to suit all main communication areas, *nooi* is the perfect solution for hall seating, cafeterias, canteens and waiting areas, as well as seminar and training rooms. Thanks to this versatility, *nooi* offers scope to create a consistent look throughout the architecture of an entire office or

building. The shell is available in plywood and polypropylene and with different upholstery options. The eight different colour combinations available for the plastic seat shell offer ample creative freedom for interior design. The outside of the plastic shell always features a high gloss finish.


Design: neunzig° design

Very well connected: *nooi* frame linking.

**The frame linking chair:
Simple and clever.
Uncomplicated and quick.
Attractive and bold.**

nooi – the row linking chair with integrated frame linking. Never has it been so easy to set up and dismantle hall seating as with *nooi*. The two adjacent legs are simply stacked over each other, always linking from left to right. This ingenious linking system works with and without arms. The advantage: valuable space is gained for a comfortable seat width. Visually, *nooi* creates a sleek, settled look, as there are fewer visible legs. Setting up and storing away chairs is quick and easy: *nooi* can be stacked upright, which ensures safe and compact stacking and means that very little storage space is required.

The optional seat numbering is by means of a plastic clip in the upper part of the backrest. On request, *nooi* frame linking chairs can be fitted with a removable folding writing tablet. Chairs with mounted writing tablets can be stacked but not linked together.



Watch the video on:
wiesner-hager.com





Graceful and light:
the café and meeting chair.



Perfectly suited to its purpose, the *nooi* café and meeting chair is graceful and light in appearance. The high quality and durability of the seat shell material ensure the necessary stability and robustness against chemical influences. The wide range of colours offers designers plenty of options when creating a scheme. It is thus ideally suited to company restaurants, cafés, bistros and canteens.





Minimalist and simple:
the sled base chair.



The compact sled base stacking chair was specially developed for multipurpose rooms used for events such as seminars, workshops and lectures. The simple, minimalist sled base frame offers easy, integral frame linking, eliminating the need for any additional elements.



Flexible and comfortable: the conference chair.



Conference chair



The *nooi* series conference chair is the ideal partner for extended meetings: the revolving 4-star base and armrests of tubular steel offer comfort and flexibility for use at conferences, workshops and meetings. Besides a variety of seat shell finishes two bases are available: the conference chair can be fitted with glides or as a mobile variant with castors.



Conference chair



Conference chair

Conference chair

With a homey flair:
the café and meeting
chair wood.



Café and meeting chair wood



The café and meeting chair *wood* introduces homey flair into design. The trendy combination of plastic and wood as materials give the chair a cosy touch. This extravagant model from the *noui* series is just as at home in cafés as in communication spaces and modern conference areas.



Café and meeting chair wood

Relaxed communication: the barstool.



Optional.



6625 Barstool stackable

Seat shell in beech or oak plywood or polypropylene, without upholstery, seat upholstered or fully upholstered
H 845 / SH 757 / W 520 / D 545



6626 Barstool stackable

Seat shell in beech or oak plywood or polypropylene, without upholstery, seat upholstered or fully upholstered
H 737 / SH 651 / W 515 / D 515



6623 Barstool stackable

Seat shell in beech or oak plywood, high back, without upholstery, seat upholstered or fully upholstered
H 940 / SH 770 / W 520 / D 545



6624 Barstool stackable

Seat shell in beech or oak plywood, high back, without upholstery, seat upholstered or fully upholstered
H 835 / SH 660 / W 515 / D 515

W= width / D = depth / SH = seat height / H = total height / dimensions in mm

With its skid base of tubular steel the barstool combines a graceful and yet solid appearance. Two different seat heights expand its potential uses. The barstool with a high base is ideal for bar tables, in bars, cafés and bistros. The option with a low seating height is particularly suitable for deployment in working cafés, central zones and for temporary workstations. Another advantage is that the *nooi* barstool is stackable and can be stored when necessary with minimum space requirements.



Standard models:


Barstool 6625 (seat height 760 mm) and 6626 (seat height 650 mm):

Round steel frame, plastic glides. Seat shell in beech or oak plywood or polypropylene (monochrome or two-tone). The outside of the plastic shell always features a high gloss finish. Black plastic stacking dish for upholstered models, stacking protection for models without upholstery. Metal surface powder-coated.

Barstool with high back 6623 (seat height 770 mm) and 6624 (seat height 660 mm):

Round steel frame, plastic glides. Seat shell in beech or oak plywood. Black plastic stacking dish for upholstered models, stacking protection for models without upholstery. Metal surface powder-coated.

Stacking:



Colours of the plastic seat shells:



Adaptable and modular: the bench seat.



6610 Bench 2-part

Seat shell in beech or oak plywood or polypropylene, without upholstery, seat upholstered, front of shell upholstered or fully upholstered
H 847 / SH 442 / W 1070 / D 567

6611 Bench 3-part

Seat shell in beech or oak plywood or polypropylene, without upholstery, seat upholstered, front of shell upholstered or fully upholstered
H 847 / SH 442 / W 1620 / D 567

6612 Bench 4-part

Seat shell in beech or oak plywood or polypropylene, without upholstery, seat upholstered, front of shell upholstered or fully upholstered
H 847 / SH 442 / W 2170 / D 567



Frame bench seat

6615 Frame 5-part
6616 Frame 6-part
6617 Frame 7-part
6618 Frame 8-part

6619 Seat shell

Seat shell in beech or oak plywood or polypropylene, without upholstery, seat upholstered, front of shell upholstered or fully upholstered


Ring arms

6620-000 Arm rest left
6621-000 Arm rest right


Service tables

6613 Service table left
6614 Service table right
Compact top 12 mm

Measurements of frames for benches 6615 – 6618:



Possible positions of seat shells and service tables: (freely selectable with all models)



Standard models:

Bench (6610 – 6621):

Frame and central leg of sheet steel, felt glides. Cross-beam of tubular steel. Spacer (to the wall and/or for block arrangement, optional), shell and tray support of metal, surface finish same as cross-beam. In case of chromed cross-beam: spacer, shell and tray support always in black. Seat shell in beech or oak plywood or polypropylene (monochrome or two-tone). The outside of the plastic shell always features a high gloss finish. Steel ring arms. Metal surface powder-coated.

Colours of the plastic seat shells:




The *nooi* programme is rounded off by a distinctive bench seat for waiting and transit areas. In the typical *nooi* design, the bench can be fitted out with flexible combinations of seat shells and service tables to suit customer requirements. The positions of the individual elements on the frame are freely selectable. The bench can be designed with up to eight seat shells and service tables.



Optional.



6600 Frame linking chair	6602 Frame linking chair with arms	Meeting chair
Seat shell in beech or oak plywood or polypropylene, without upholstery, seat upholstered, front of shell upholstered or fully upholstered H 850 / SH 444 / W 536 / D 570 centre-to-centre distance 510 mm	Seat shell in beech or oak plywood or polypropylene, without upholstery, seat upholstered, front of shell upholstered or fully upholstered H 850 / SH 444 / W 536 / D 570 centre-to-centre distance 510 mm	6601 without arms 6603 with arms Symmetrical frame; seat shell in beech or oak plywood or polypropylene, without upholstery, seat upholstered, front of shell upholstered or fully upholstered H 850 / SH 444 / W 536 / D 570 centre-to-centre distance 600 mm (with writing tablet 620 mm)



Stacking 6600, 6602 & 6601, 6603:
vertical stacking.
6600 Frame linking chair, 6601 Meeting chair:
stack of 15 chairs: H = 1720 mm
6602 Frame linking chair, 6603 Meeting chair:
stack of 15 chairs: H = 1930 mm
stacking trolley:
model 6491-000.



6629 Conference chair	6630 Conference chair	6627 Conference chair	6628 Conference chair
Seat shell polypropylene, without upholstery, seat upholstered, front of shell upholstered or fully upholstered H 875 / SH 455 / W 730 / D 730	Seat shell polypropylene, without upholstery, seat upholstered, front of shell upholstered or fully upholstered H 875 / SH 455 / W 730 / D 730	Seat shell polypropylene, without upholstery, seat upholstered, front of shell upholstered or fully upholstered H 830 / SH 444 / W 665 / D 665	Seat shell polypropylene, without upholstery, seat upholstered, front of shell upholstered or fully upholstered H 830 / SH 444 / W 665 / D 665



6606 Café and meeting chair	6608 Café and meeting chair with arms	6608 Café and meeting chair with arms
Seat shell in beech or oak plywood or polypropylene, without upholstery, seat upholstered, front of shell upholstered or fully upholstered H 838 / SH 444 / W 520 / D 580	Seat shell in beech or oak plywood or polypropylene, without upholstery, seat upholstered, front of shell upholstered or fully upholstered H 838 / SH 444 / W 579 / D 580	Seat shell in beech or oak plywood or polypropylene, without upholstery, seat upholstered, front of shell upholstered or fully upholstered H 838 / SH 444 / W 579 / D 580



Stacking 6606 & 6608:
stack of 8 chairs: H = 1190 mm
stacking trolley:
model 6491-000.



6605 Café and meeting chair wood
Beech or oak legs, seat shell polypropylene, without upholstery, seat upholstered, front of shell upholstered or fully upholstered
H 850 / SH 442 / W 550 / D 565

W = width / D = depth / SH = seat height / H = total height / dimensions in mm



6604 Sled base chair	6604 Sled base chair	6604 Sled base chair
Seat shell in beech or oak plywood or polypropylene, without upholstery, seat upholstered, front of shell upholstered or fully upholstered H 838 / SH 444 / W 581 / D 580 centre-to-centre distance 550 mm	Seat shell in beech or oak plywood or polypropylene, without upholstery, seat upholstered, front of shell upholstered or fully upholstered H 838 / SH 444 / W 581 / D 580 centre-to-centre distance 550 mm	Seat shell in beech or oak plywood or polypropylene, without upholstery, seat upholstered, front of shell upholstered or fully upholstered H 838 / SH 444 / W 581 / D 580 centre-to-centre distance 550 mm



Stacking 6604:
stack of 6 chairs: H = 1095 mm
stacking trolley:
model 6491-000.

Standard models:

Frame linking chair 6600 and 6602 & meeting chair 6601 and 6603:

Precision tubular steel frame, universal plastic glides for soft and hard floors. Seat shell in beech or oak plywood or polypropylene (monochrome or two-tone). The outside of the plastic shell always features a high gloss finish. Plastic arm pads and/or frame covers for chairs without arms. Metal surface powder-coated. Frame linking chair: Asymmetrical frame, frame linking; plastic linking and stacking elements. Meeting chair: Symmetrical frame; can be linked using additional linking elements.

Café and meeting chair 6606 and 6608:

Precision tubular steel frame, plastic glides. Seat shell in beech or oak plywood or polypropylene (monochrome or two-tone). The outside of the plastic shell always features a high gloss finish. Plastic arm pads. Black plastic stacking dish for upholstered models, stacking protection for models without upholstery. Metal surface powder-coated.

Sled base chair 6604:

Round steel frame, plastic glides with integral linking element. Seat shell in beech or oak plywood or polypropylene (monochrome or two-tone). The outside of the plastic shell always features a high gloss finish. Black plastic stacking dish for upholstered models, stacking protection for models without upholstery. Metal surface powder-coated.

Conference chair 6627 and 6628:

Aluminium die-cast four-star frame, polished, plastic glides. Arms in tubular steel, polished (model 6628). Seat shell polypropylene (monochrome or two-tone). The outside of the plastic shell always features a high gloss finish.

Conference chair 6629 and 6630:

Aluminium die-cast four-star frame, polished. Braked dual castors Ø 50 mm with hard running surface. Arms in tubular steel, polished (model 6630). Seat shell polypropylene (monochrome or two-tone). The outside of the plastic shell always features a high gloss finish.

Café and meeting chair wood 6605:

Beech or oak legs, steel cross frame, plastic glides. Seat shell in polypropylene (monochrome or two-tone). The outside of the plastic shell always features a high gloss finish. Metal surface powder-coated.

Writing tablet with quick-change system 9314

for models 6600, 6602, 6601 & 6603 (exception: 6601 & 6603 with quick linking device): Compact top white, metal surfaces powder-coated. Folding, removable, mounting possible only on the right hand side. Preparation for writing tablet assembly necessary. Frame linking chairs with mounted writing tablet can be stacked but not linked. Meeting chairs with mounted writing tablet can be stacked and linked.

W = width / D = depth / SH = seat height / H = total height / dimensions in mm



Perfect Partners.



skill



macao



yuno

A-4950 Altheim
Linzer Strasse 22
T +43 (7723) 460-0
altheim@wiesner-hager.com

D-97080 Würzburg
Schürerstrasse 3
T +49 (931) 3 55 85-0
F +49 (931) 3 55 85 85
wuerzburg@wiesner-hager.com

NL-6101 XB Echt
Nobelweg 17
T +31 (475) 41 02 22
F +31 (475) 41 00 90
benelux@wiesner-hager.com

F-67201 Eckbolsheim
13, rue Ettore Bugatti
T +33 (3) 88 59 90 90
F +33 (3) 88 59 90 89
france@wiesner-hager.com

UK: Wiesner-Hager Ltd.
Fourth Floor
104-110 Goswell Road
London
EC1V 7DH
T +44 (20) 7490 3627
london@wiesner-hager.com

CZ-150 00 Praha 5
Drtinova 557/10
T +420 271 730 444
praha@wiesner-hager.com

Certified acc. to:
ISO 9001, ISO 14001
and ISO 14025

